

QUARTERMASTER RESEARCH & ENGINEERING COMMAND
U S ARMY

TECHNICAL REPORT

EP-156

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

COMPOSITION AND CALORIC DENSITY OF WEIGHT
LOSS DURING CALORIC RESTRICTION IN THE COLD

20010719 057



QUARTERMASTER RESEARCH & ENGINEERING CENTER
ENVIRONMENTAL PROTECTION RESEARCH DIVISION

JUNE 1961

Reproduced From
Best Available Copy

NATICK, MASSACHUSETTS

DEFENSE TECHNICAL INFORMATION CENTER REQUEST FOR SCIENTIFIC AND TECHNICAL REPORTS

Title

1. Report Availability (Please check one box)

- ☒ This report is available. Complete sections 2a - 2f.
☐ This report is not available. Complete section 3.

**2a. Number of
Copies Forwarded**

2b. Forwarding Date

28 Jun 01

2c. Distribution Statement (Please check ONE box)

DoD Directive 5230.24, "Distribution Statements on Technical Documents," 10 Mar 87, contains seven distribution statements, as described briefly below. Technical documents **MUST** be assigned a distribution statement

- ☒ DISTRIBUTION STATEMENT A: Approved for public release. Distribution is unlimited.
☐ DISTRIBUTION STATEMENT B: Distribution authorized to U.S. Government Agencies only.
☐ DISTRIBUTION STATEMENT C: Distribution authorized to U.S. Government Agencies and their contractors.
☐ DISTRIBUTION STATEMENT D: Distribution authorized to U.S. Department of Defense (DoD) and U.S. DoD contractors only.
☐ DISTRIBUTION STATEMENT E: Distribution authorized to U.S. Department of Defense (DoD) components only.
☐ DISTRIBUTION STATEMENT F: Further dissemination only as directed by the controlling DoD office indicated below or by higher authority.
☐ DISTRIBUTION STATEMENT X: Distribution authorized to U.S. Government agencies and private individuals or enterprises eligible to obtain export-controlled technical data in accordance with DoD Directive 5230.25, Withholding of Unclassified Technical Data from Public Disclosure, 6 Nov 84.

2d. Reason For the Above Distribution Statement (In accordance with DoD Directive 5230.24)

Originators deemed the information unclassified and suitable for public release

2e. Controlling Office

AMSSB-OSM(N)

**2f. Date of Distribution Statement
Determination**

28 Jun 01

3. This report is NOT forwarded for the following reasons. (Please check appropriate box)

- ☐ It was previously forwarded to DTIC on _____ (date) and the AD number is _____
☐ It will be published at a later date. Enter approximate date if known. _____
☐ In accordance with the provisions of DoD Directive 3200.12, the requested document is not supplied because:

Print or Type Name

Carl E. Taylor, Jr.

Signature

Carl E. Taylor

Telephone

508-233-4527

(For DTIC Use Only)

AQ Number

HEADQUARTERS
QUARTERMASTER RESEARCH & ENGINEERING COMMAND, US ARMY
Quartermaster Research & Engineering Center
Natick, Massachusetts

ENVIRONMENTAL PROTECTION RESEARCH DIVISION

Technical Report
EP-156

COMPOSITION AND CALORIC DENSITY OF WEIGHT LOSS DURING
CALORIC RESTRICTION IN THE COLD

P. F. Iampietro

M. Mager

R. F. Goldman

D. E. Bass

Physiology Branch

Project Reference:
7X83-01-009

June 1961

FOREWORD

THE SIMPLEST METHOD FOR DETERMINING THE AMOUNT OF FOOD A SOLDIER REQUIRES IS TO PROVIDE HIM WITH SUFFICIENT FOOD TO MAINTAIN A CONSTANT WEIGHT AND TO MEASURE THE CALORIES CONSUMED. MANY OF THE ESTABLISHED REQUIREMENTS FOR CALORIES HAVE BEEN DERIVED FROM THIS SIMPLE APPROACH. WHEN, HOWEVER, A LOSS IN WEIGHT OCCURS DESPITE MORE THAN ADEQUATE AVAILABILITY OF FOOD, CALCULATIONS MUST BE MADE OF THE CALORIES WHICH THE BODY ITSELF HAS SUPPLIED IN TERMS OF TISSUE BREAKDOWN AND THE FINAL ESTIMATE OF CALORIC REQUIREMENTS MUST BE CORRECTED ACCORDINGLY. SUCH CORRECTIONS REQUIRE A RATHER PRECISE KNOWLEDGE OF HOW MANY CALORIES THE BODY TISSUES HAVE PROVIDED, I.E., THE CALORIC DENSITY OF THE WEIGHT LOST. THE PRESENT REPORT PROVIDES VALUES WHICH MAY BE USED FOR THIS PURPOSE WITH REASONABLE CONFIDENCE.

CONTENTS

	<u>PAGE</u>
ABSTRACT	IV
1. INTRODUCTION	1
2. EXPERIMENTAL DESIGN AND METHODS	1
3. RESULTS	2
A. WEIGHT LOSS	2
B. COMPOSITION OF WEIGHT LOSS	3
C. CALORIC VALUE OF WEIGHT LOSS	3
4. DISCUSSION	3
5. ACKNOWLEDGMENTS	6
6. REFERENCES	6

ABSTRACT

TWO GROUPS OF 6 MEN EACH LIVED FOR 14 DAYS IN A COLD CHAMBER AT 60°F (15.6°C); ACTIVITY WAS SEDENTARY AND ONLY ATHLETIC SHORTS WERE WORN. DURING THIS PERIOD ONE GROUP (A) WAS SEMI-STARVED (600 KCAL/DAY) AND THE OTHER (B) WAS COMPLETELY STARVED (0 KCAL/DAY). CHANGES IN BODY COMPOSITION WERE MEASURED AND CALORIC DENSITY OF WEIGHT LOSS WAS CALCULATED. MEAN WEIGHT LOSS WAS 5.66 KG FOR A, AND 8.56 KG FOR B. COMPOSITION AND CALORIC DENSITY OF WEIGHT LOSS WAS ALMOST IDENTICAL FOR BOTH GROUPS. COMPOSITION OF WEIGHT LOSS WITH REGARD TO FAT, PROTEIN, AND WATER WAS: 39, 10, AND 51% FOR A; 39, 11, AND 49% FOR B. CALORIC DENSITY WAS 3.91 KCAL/GM FOR A AND 4.06 KCAL/GM FOR B.

COMPOSITION AND CALORIC DENSITY OF WEIGHT LOSS DURING CALORIC RESTRICTION IN THE COLD

1. INTRODUCTION

ESTIMATES OF MAN'S DAILY CALORIC REQUIREMENTS MAY BE MADE WITH REASONABLE VALIDITY IF THE BODY COMPOSITION AND WEIGHT DO NOT CHANGE DURING THE EXPERIMENTAL PERIOD. THIS MAY BE DONE SIMPLY BY CAREFUL MEASUREMENT OF DAILY CALORIC INTAKE. IF, HOWEVER, CHANGES IN BODY WEIGHT AND/OR COMPOSITION OCCUR, CORRECTIONS MUST BE MADE FOR THE CALORIC EQUIVALENT OF THE TISSUE EXCHANGES. VALUES FOR THE CALORIC EQUIVALENT OF WEIGHT CHANGES HAVE BEEN REPORTED WHICH RANGE FROM 2.5 TO 6.2 OR MORE KCAL/GM (1, 2). THIS VARIABILITY INDICATES THAT APPRECIABLE UNCERTAINTIES MAY ATTEND CALCULATIONS OF CALORIC REQUIREMENTS WHEN LARGE CHANGES IN WEIGHT OCCUR.

AN OPPORTUNITY WAS PRESENTED RECENTLY TO MEASURE CHANGES IN BODY COMPOSITION AND, THUS, TO CALCULATE VALUES FOR THE CALORIC EQUIVALENT OF THE WEIGHT LOST DURING TWO STUDIES IN WHICH MEN WERE FED, RESPECTIVELY, 600 AND 0 KCAL/DAY FOR 14 DAYS. THIS REPORT PRESENTS THE RESULTS OF THESE STUDIES.

2. EXPERIMENTAL DESIGN AND METHODS

TWO STUDIES WERE PERFORMED. IN THE FIRST (STUDY A), 6 YOUNG MEN LIVED IN A CHAMBER MAINTAINED AT 60°F (15.6°C) FOR 2 WEEKS. AIR MOVEMENT WAS APPROXIMATELY 40 FT/MIN; RELATIVE HUMIDITY WAS 50%. DURING THIS PERIOD THEY WERE NUDE EXCEPT FOR COTTON SHORTS AND SOCKS AND WERE ENGAGED ONLY IN MINIMAL, SEDENTARY ACTIVITY, E.G., CARD-PLAYING, READING, WRITING, WATCHING TV. EACH SUBJECT WAS PERMITTED ONE ARMY WOOLEN BLANKET DURING THE NIGHT. CALORIC INTAKE WAS RESTRICTED TO 600 KCAL/MAN/DAY. THIS WAS IN THE FORM OF A MILK DRINK SERVED IN EQUAL PORTIONS 3 TIMES DAILY. THE COMPOSITION OF THIS DRINK WAS AS FOLLOWS: CARBOHYDRATE 41%, PROTEIN 17%, FAT 42%, CALORIC DENSITY 1.2 KCAL/GM. THE EXPERIMENTAL PERIOD WAS PRECEDED BY 2 WEEKS AT 80°F (26.7°C), DURING WHICH TIME SUFFICIENT CALORIES IN THE FORM OF THE ABOVE-MENTIONED MILK DRINK PLUS TOAST AND BUTTER WERE PROVIDED TO MAINTAIN BODY WEIGHT. DURING THIS CONTROL PERIOD A MULTI-VITAMIN SUPPLEMENT WAS GIVEN MORNING AND EVENING.

IN THE SECOND (STUDY B), ALL CONDITIONS WERE IDENTICAL WITH THOSE OF STUDY A EXCEPT THAT DURING THE COLD PERIOD NO CALORIES WERE PROVIDED, I.E., COMPLETE STARVATION PREVAILED. IN STUDY B THE TEST SUBJECTS WERE 6 MEN WHO WERE NOT INVOLVED IN STUDY A.

THE MEAN AGES OF THE 2 GROUPS WERE 19.7 AND 21.2 YEARS AND THE MEAN WEIGHTS WERE 69.3 AND 70.3 KG, RESPECTIVELY. WATER WAS PERMITTED AD LIBITUM, AND 4 CUPS OF HOT COFFEE, WITHOUT CREAM OR SUGAR, WERE SERVED DAILY IN BOTH STUDIES.

BODY SPECIFIC GRAVITIES OF THE TEST SUBJECTS WERE DETERMINED ON THE DAY PRECEDING AND AGAIN ON THE DAY FOLLOWING THE 2 WEEKS OF CALORIC RESTRICTION. THIS WAS DETERMINED BY WEIGHING THE TEST SUBJECTS IN AIR AND WHILE COMPLETELY SUBMERGED IN WATER, USING A WATER TANK SIMILAR TO THAT DESCRIBED BY VON DÖBELN (3) AND CORRECTING FOR RESIDUAL LUNG VOLUME BY NITROGEN DILUTION AS DESCRIBED ELSEWHERE (4). FROM THESE DETERMINATIONS THE BODY FAT CONTENTS OF THE TEST SUBJECTS WERE CALCULATED. NITROGEN BALANCES WERE DETERMINED AND, FROM THE CUMULATIVE NEGATIVE BALANCE, THE AMOUNT OF FAT-FREE TISSUE LOST WAS DETERMINED. NUDE BODY WEIGHTS WERE DETERMINED EACH MORNING AFTER THE TEST SUBJECTS HAD VOIDED.

FROM THE MEASUREMENTS DESCRIBED ABOVE IT WAS POSSIBLE TO CALCULATE THE RELATIVE CONTRIBUTIONS OF FAT AND PROTEIN TO THE TOTAL WEIGHT LOSS OVER THE PERIODS OF CALORIC RESTRICTION, AND THUS TO CALCULATE THE CALORIC EQUIVALENT OF THE WEIGHT LOST.

3. RESULTS

A. WEIGHT LOSS

WEIGHTS AT THE BEGINNING AND END OF BOTH STUDIES ARE SHOWN IN TABLE 1. MEAN WEIGHT LOSSES WERE 5.66 AND 8.56 KG FOR GROUPS A AND B, RESPECTIVELY. THE PATTERN OF DAILY WEIGHT LOSS WAS SIMILAR FOR BOTH GROUPS; AFTER THE FIRST 2 DAYS, THE DAILY WEIGHT LOSS WAS ESSENTIALLY LINEAR (FIG. 1). THUS, DURING THE LAST 12 DAYS GROUP A SHOWED A DAILY WEIGHT LOSS OF 0.317 KG/DAY AND GROUP B LOST 0.525 KG/DAY. THE COMPARATIVELY LARGE WEIGHT LOSS DURING THE FIRST 2 DAYS OF THE EXPERIMENTAL PERIODS (1.9 AND 2.3 KG/MAN/DAY FOR STUDIES A AND B) WILL BE DISCUSSED BELOW.




FIGURE 1: DAILY WEIGHT LOSS DURING CALORIC RESTRICTION IN THE COLD (MEANS OF 6 MEN).

B. COMPOSITION OF WEIGHT LOSS

FOR THE PURPOSE OF THIS REPORT, THE COMPOSITION OF THE WEIGHT LOSS WILL BE EXPRESSED IN TERMS OF FAT, PROTEIN, AND WATER. FAT AND PROTEIN LOSSES WERE CALCULATED FROM CHANGES IN BODY SPECIFIC GRAVITY AND FROM CUMULATIVE NEGATIVE NITROGEN BALANCES, RESPECTIVELY. THE DIFFERENCE BETWEEN THE TOTAL WEIGHT LOSS AND THE SUM OF FAT AND PROTEIN LOST IS HERE TERMED "WATER." IT IS REALIZED, OF COURSE, THAT A MOIETY OF THIS "WATER" IS REPRESENTED BY ELECTROLYTES AND GLYCOGEN STORES. THE ELECTROLYTES REPRESENT A NEGLIGIBLE FRACTION OF WEIGHT LOSS AND PROVIDE NO CALORIES. GLYCOGEN MAY HAVE ACCOUNTED FOR AS MUCH AS 150 GRAMS OF THE WEIGHT LOSS, REPRESENTING A TOTAL OF 634 CALORIES (5); FAILURE TO TAKE THIS INTO ACCOUNT REPRESENTS AN ERROR OF 5% OF WATER LOSS IN STUDY A AND 3.8% IN STUDY B. TABLE 1 SHOWS THAT ALTHOUGH THE ABSOLUTE AMOUNTS OF FAT, PROTEIN, AND WATER LOST IN STUDY A WERE SMALLER THAN IN STUDY B, THE CONTRIBUTION TO THE TOTAL WEIGHT LOSS OF EACH OF THESE COMPONENTS IS REMARKABLY SIMILAR FOR BOTH STUDIES: 39% AND 39% FOR FAT, 10% AND 11% FOR PROTEIN, 51% AND 49% FOR "WATER." THESE VALUES ARE IN CLOSE AGREEMENT WITH THOSE OF BROZEK, ET AL (5) IF THEIR VALUES ARE AVERAGED FOR A 12-DAY PERIOD.

THE TOTAL AMOUNTS OF PROTEIN, FAT, AND WATER LOST IN STUDIES A AND B WERE: PROTEIN, 0.52 KG AND 0.96 KG; FAT, 2.15 AND 3.31 KG; "WATER," 3.00 AND 4.29 KG, RESPECTIVELY (TABLE 1).

C. CALORIC VALUE OF WEIGHT LOSS

STANDARD VALUES FOR THE CALORIC EQUIVALENT OF PROTEIN (4.1 KCAL/GM) AND FAT (9.3 KCAL/GM) WERE USED IN CALCULATING THE CALORIES DERIVED FROM TISSUE BREAKDOWN (TABLE 11). THUS CALCULATED, FAT WAS THE SOURCE OF 90.3% OF THE CALORIES IN STUDY A, AND 88.6% OF THOSE IN STUDY B. PROTEIN PROVIDED 9.7 AND 11.4% IN STUDIES A AND B, RESPECTIVELY. IT IS INTERESTING THAT, DESPITE THE FACT THAT THE WEIGHT LOSS IN STUDY B WAS 51% GREATER THAN IN STUDY A, THE RELATIVE CONTRIBUTIONS OF FAT AND PROTEIN WERE QUITE SIMILAR IN BOTH STUDIES. THE TOTAL CALORIES REALIZED FROM TISSUE BREAKDOWN (EXCLUDING GLYCOGEN) WAS 22,131 KCAL IN STUDY A AND 34,727 KCAL IN STUDY B. CALORIC DENSITY OF WEIGHT LOSS, CALCULATED FROM TOTAL CALORIES AND WEIGHT LOSS, WAS ESSENTIALLY THE SAME FOR BOTH STUDIES, STUDY A = 3.91 KCAL/GM; STUDY B = 4.06 KCAL/GM (TABLE 11).

4. DISCUSSION

THE ASSESSMENT OF CALORIC DENSITY OF WEIGHT LOSS IS COMPLICATED, ON THE ONE HAND BY DIFFICULTIES IN THE TECHNIQUES OF MEASURING THE COMPOSITION OF THE LOST WEIGHT, AND ON THE OTHER HAND, BY THE FACT THAT THE MIXTURE OF TISSUES WHICH ARE "CANNIBALIZED" TO SUPPLY CALORIES IS NOT FIXED, BUT VARIES WITH THE DURATION AND SEVERITY OF CALORIC RESTRICTION. VALUES BASED ON ESTIMATES OF ENERGY EXPENDITURE AND/OR CALORIC INTAKE MAY LEAD TO LARGE ERRORS UNLESS THE INTAKES AND EXPENDITURES ARE ADEQUATELY AND ACCURATELY MEASURED OR CONTROLLED DURING THE ENTIRE EXPERIMENTAL PERIOD; THIS IS INDEED A MOST DIFFICULT TASK. IF ESTIMATES OF CALORIC DEFICIT

TABLE I

COMPOSITION OF WEIGHT LOSS DURING 2 WEEKS OF CALORIC RESTRICTION

SUBJECT	BODY WEIGHT (KG)			BODY FAT (KG)			PRO- TEIN LOST (KG)	"WATER" LOST (KG)	COMPOSITION OF WEIGHT LOSS (%)		
	PRE	POST	Δ	PRE	POST	Δ			FAT	TEIN	"WATER"
STUDY A (600 KCAL/DAY)											
1	71.54	65.14	6.40	17.16	15.36	1.80	0.43	4.17	27.7	6.6	65.7
2	58.39	53.78	4.61	5.88	2.80	3.08	0.54	0.99	61.6	10.9	27.5
3	75.53	69.85	5.68	16.98	14.42	2.56	0.52	2.60	49.2	10.0	40.8
4	67.10	61.59	5.51	12.78	11.53	1.25	0.51	3.75	25.0	10.2	64.8
5	76.34	70.09	6.25	15.50	13.61	1.89	0.59	3.77	34.4	10.6	55.0
6	67.17	61.64	5.53	13.91	11.62	2.29	0.54	2.70	39.5	9.3	51.2
MEAN	69.34	63.68	5.66	13.70	11.55	2.15	0.52	3.00	39.1	9.5	51.4
STUDY B (0 KCAL/DAY)											
1	71.66	63.14	8.52	17.57	14.62	2.95	0.88	4.69	36.0	10.7	53.3
2	69.24	60.71	8.53	15.65	12.79	2.86	1.10	4.57	32.9	12.6	54.5
3	65.72	56.92	8.80	11.74	7.55	4.19	0.89	3.72	48.7	10.3	41.0
4	64.45	56.87	7.58	9.21	5.75	3.46	1.03	3.09	44.9	13.4	41.7
5	71.28	62.32	8.96	13.74	10.34	3.40	1.02	4.54	38.2	11.5	50.3
6	79.18	70.20	8.98	15.48	12.48	3.00	0.85	5.13	35.3	10.0	54.7
MEAN	70.26	61.69	8.56	13.90	10.59	3.31	0.96	4.29	39.4	11.4	49.2

TABLE 11

CALORIC DENSITY OF WEIGHT LOSS

	GROUP	
	A	B
TOTAL WEIGHT LOSS (KG)	5.66	8.56
(A) PROTEIN (KG)	0.52	0.96
(B) FAT (KG)	2.15	3.31
CALORIC EQUIVALENT OF PROTEIN (KCAL)	2,136	3,944
CALORIC EQUIVALENT OF FAT (KCAL)	19,995	30,783
TOTAL CALORIES	22,131	34,727
CALORIC DENSITY OF WEIGHT LOSS (KCAL/GM)	3.91	4.06

ARE BASED ON THE DIFFERENCES BETWEEN CALORIC INTAKE DURING A PERIOD OF "BODY WEIGHT MAINTENANCE" AND THE INTAKE DURING THE RESTRICTION PERIOD, THE ASSUMPTION MUST BE MADE THAT ENERGY EXPENDITURE WAS THE SAME FOR BOTH PERIODS. THIS ASSUMPTION IS NOT CORRECT (6).

THE MORE DIRECT APPROACH IS TO DETERMINE BODY FAT CONTENT BEFORE AND AFTER A PERIOD OF RESTRICTION AND AT THE SAME TIME CALCULATE PROTEIN BREAK-DOWN FROM THE MEASURED NEGATIVE NITROGEN BALANCE. THIS METHOD WAS USED IN THE PRESENT STUDY WHICH HAS THE FOLLOWING ADDITIONAL ADVANTAGES:

(A) CONTROLLED ACTIVITY, WHICH VARIED MINIMALLY DURING ANY GIVEN DAY OR FROM DAY TO DAY; (B) CONTROLLED ENVIRONMENT; (C) MINIMAL FECAL PRODUCTION.

OUR RESULTS, AS WELL AS THOSE OF OTHER WORKERS (5, 7) SHOW THAT RELATIVELY LARGE AMOUNTS OF WATER ARE LOST DURING THE FIRST DAYS OF CALORIC RESTRICTION. SINCE, IN THE PRESENT STUDY, THE MEN WERE EXPOSED TO COLD, THE EARLY WEIGHT LOSSES ARE IN PART THE RESULT OF COLD DIURESIS. IN A SIMILAR STUDY WITH ADEQUATE CALORIES, IT WAS FOUND THAT THE CUMULATIVE NEGATIVE WATER BALANCE WAS ONLY 0.3 LITERS DURING THE FIRST 4 DAYS (8). ESTIMATES OF THE "CALORIC VALUE" OF THE WEIGHT LOSS DURING SHORT-TERM (1 TO 4 DAYS) STUDIES ARE USUALLY LOW (2,5) DUE TO THE HIGH PROPORTION OF WATER IN THE WEIGHT LOST. CURVES OF WEIGHT LOSS FURTHER INDICATE THAT THE WEIGHT LOSS (AND WATER LOSS) IN THE FIRST DAYS OF RESTRICTION IS NOT CONSTANT AND THIS LEADS TO INCREASED VARIABILITY IN THE ESTIMATION OF THE CALORIC DENSITY OF WEIGHT CHANGES. STUDIES WHICH ARE CONDUCTED OVER LONGER PERIODS OF TIME OBTAIN AT LEAST ONE OF THESE DIFFICULTIES, I.E., AFTER THE FIRST 2 OR 3 DAYS OF RESTRICTION, WEIGHT LOSS CURVES ARE NEARLY LINEAR (FIG. 1) ALTHOUGH THE PROPORTION OF FAT, PROTEIN, AND WATER IN THE WEIGHT LOST MAY STILL VARY FROM DAY TO DAY (5). DURING LONG-TERM STUDIES, THEREFORE, THE IMPACT OF THE LARGE WEIGHT (WATER) LOSSES DURING THE FIRST DAYS IS MINIMIZED.

OUR RESULTS ARE IN CLOSE AGREEMENT WITH THOSE RECENTLY REPORTED BY BROZEK, ET AL (5), USING LESS DIRECT TECHNIQUES. IN 2 STUDIES OF CALORIC RESTRICTION (580 KCAL/DAY AND 1010 KCAL/DAY) AND WITH THEIR SUBJECTS PERFORMING MODERATE ACTIVITY, THEY ARRIVED AT VALUES OF 4.3 AND 4.7 KCAL/GM OF WEIGHT LOSS OVER A 12-DAY PERIOD. IN THE PRESENT STUDIES THE VALUES FOR THE CALORIC DENSITY OF THE WEIGHT LOSS WERE 3.91 AND 4.06 KCAL/GM OVER A 14-DAY PERIOD. THIS INDICATES THAT THE COMPOSITION OF THE WEIGHT LOSS IS QUITE SIMILAR OVER A WIDE RANGE OF RATES AT WHICH WEIGHT IS LOST.

5. ACKNOWLEDGMENTS

WE WISH TO THANK THE 12 EM WHO VOLUNTARILY UNDERWENT THE RIGORS OF THESE EXPERIMENTS. OUR GRATITUDE IS ALSO EXTENDED TO E.B. GREEN, J.A. VAUGHAN, R.B. BARRUETO, T. MALISZEWSKI, A. MACLEOD, F. MASUCCI, AND DR. M.B. KREIDER FOR VALUABLE ASSISTANCE.

6. REFERENCES

1. DOLE, V.P., I.L. SCHWARTZ, N.A. THORN AND L. SILVER. J. CLIN. INVEST. 34:590, 1955.
2. KEYS, A., J.T. ANDERSON AND J. BROZEK. METABOLISM 4:427, 1955.
3. V. DØBELN, W. ACTA PHYSIOL. SCANDINAV. 37:SUPPL. 126, 1956.
4. GOLDMAN, R.F. AND E.R. BUSKIRK IN "TECHNIQUES FOR MEASURING BODY COMPOSITION." PROC. OF NAS-NRC CONFERENCE. ED. BY J. BROZEK AND A. HENSCHEL. IN PRESS, 1961.
5. BROZEK, J., F. GRANDE, H.L. TAYLOR, J.T. ANDERSON, E.R. BUSKIRK AND A. KEYS. J. APPL. PHYSIOL. 10:412, 1957.
6. KEYS, A., J. BROZEK, A. HENSCHEL, O. MICKELSEN AND H.L. TAYLOR. THE BIOLOGY OF HUMAN STARVATION. MINNEAPOLIS, MINN. UNIV. OF MINNESOTA PRESS, 1950, P. 328.
7. QUINN, M., C.R. KLEEMAN, D.E. BASS AND A. HENSCHEL. METABOLISM 3:68, 1954.
8. BASS, D.E. SIXTH CONFERENCE ON COLD INJURY. NEW YORK: MACY, 1960, P. 317.

DISTRIBUTION LIST

GENERAL STAFF

- 1 Deputy Chief of Staff for Logistics
Department of the Army
Washington 25, D. C.
- 1 Deputy Chief of Staff for Personnel
Department of the Army
Washington 25, D. C.
- 1 Deputy Chief of Staff for Military
Operations, Department of the Army
Washington 25, D. C.
- 1 Chief of Research & Development
Department of the Army
Washington 25, D. C.

ARMY

- 5 The Quartermaster General
Department of the Army
Washington 25, D. C.
- 2 Commanding General
Philadelphia QM Depot, U.S. Army
2800 South 20th Street
Philadelphia, Pa.
- 4 Commandant
QM Food & Container Institute for the
Armed Forces, U. S. Army
1819 W. Pershing Rd.
Chicago, Illinois
- 3 Commanding Officer
QM R&E Field Evaluation Agency, U.S. Army
Ft. Lee, Virginia
Attn: Chief, TSO
- 2 QM Liaison Officer, WCOL-8
Wright Air Development Center
Wright-Patterson AF Base
Dayton, Ohio
- 1 Commandant
The QM School
Ft. Lee, Virginia
Attn: Library
- 1 Commanding General
Frankford Arsenal, Phila 37, Pa.
Attn: Engr. Psychology Div. (L2)
- 3 Hqs., Army Electronic Proving Ground
Ft. Huachuca, Arizona
Attn: Aviation & Meteorological Dept.
Tech. Information Br.
Deputy Chief for Meteorology
- 2 Commanding General
The Engineer Center
Ft. Belvoir, Va.
- 1 Commanding Officer
Diamond Ordnance Fuze Labs.
Washington 25, D. C.
Attn: Tech Reference Section
(ORDTL-012)
- 2 Commanding General
Aberdeen Proving Ground
Aberdeen, Maryland
- 2 Chief Signal Officer
Department of the Army
Washington 25, D. C.
Attn: Res. & Dev. Div.

ARMY (Cont)

- 1 Commanding Officer
Signal Corps Engr. Lab.
Ft. Monmouth, N. J.
- 1 Office of Chief of Engineers
Department of the Army
Temp. Bldg. T-7, Gravelly Point
Washington 25, D. C.
Attn: Research & Dev. Div.
- 4 CO, Chemical Warfare Laboratories
Army Chemical Center, Maryland
Attn: Technical (AS 13) Library
- 1 Chief Chemical Officer
Department of the Army
Bldg. T-7, Gravelly Point
Washington 25, D. C.
Attn: Res. & Dev. Div.
- 2 CO, Hq., Medical Nutrition Lab.
Fitzsimons Army Hospital
Denver, Colorado
(1-Dr. Friedmann)
- 1 Armed Forces Institute of Pathology
Washington 25, D. C.
- 1 Chief, Armed Services Medical
Procurement Agency
84 Sands St., Brooklyn 1, N. Y.
Attn: Property Officer
Marked: Req. DUED #151
- 1 Chief of Transportation
Department of the Army
Temp Bldg. T-7, Gravelly Point
Washington 25, D. C.
- 2 Commanding Officer
Transportation Res & Eng Command
U. S. Army
Ft. Eustis, Virginia
Attn: Tech Services Dir.
- 1 The Army Library
Pentagon Bldg.,
Washington 25, D. C.
- 1 Commandant, Command & General Staff
College
Ft. Leavenworth, Kansas
- 1 Commandant, U. S. Military Academy
West Point, New York
- 1 Commanding Officer, Detroit Arsenal
28251 Van Dyke St., Centerline, Mich.
Attn: Res & Engr. Div.
- 1 Commanding General
Hqs., U.S. Army Medical R&D Command
Main Navy Bldg.
Washington 25, D. C.
Attn: NP&PP Research Branch
- 2 Commander
QM Intelligence Agency, U.S. Army
Washington 25, D. C.
- 2 Executive Director
Military Clothing and Textile Supply Agency
2800 S. 20th St., Phila. 45, Pa.
- 1 Commanding Officer
QM R&E Field Evaluation Agency, U.S. Army
Airborne Systems Test Div.
Yuma Test Station
Yuma, Arizona

ARMY (Cont)

- 1 Commanding Officer
Cold Weather & Mountain Indoctrination
School
Fort Greeley, Alaska
- 1 Commanding Officer
Fort Greeley, Alaska
Attn: Post Library
- AIR FORCE
- 2 Department of Air Force
Hqs., USAF, Wash 25, D. C.
(1 DC/S Material, 1 DC/S Dev.)
- 1 Director
Air University Library, Attn: 7575
Maxwell AFB, Alabama
- 2 Commandant
USAF School of Aviation Medicine
Randolph AF Base
Randolph Field, Texas
- 1 Commander, Arctic Aeromedical Lab
APO 731, Seattle, Washington
- 1 Commander
Air Res & Dev Command
Attn: RDSBTL (Hqs., Tech Lib. Br.)
Andrews AF Base, Washington 25, D. C.
- 1 Commander
Wright Air Development Center
Wright Patterson AF Base, Ohio
Attn: Tech Library
- 1 Commander
Strategic Air Command
Offutt AF Base, Nebraska
- 1 Chief, Nutrition Div.
Air Development Center
Aero-Medical Lab.
Wright Patterson AFB, Ohio
Attn: Dr. Harry C. Dyme
- 1 Commander
AF Cambridge Research Center
Air Research & Development Cmd.
Laurence G. Hanscom Field
Bedford, Mass.
Attn: CRTOTT-2

NAVY

- 1 Director
Naval Research Laboratory
4th & Chesapeake St., S. W.
Washington 25, D. C.
- 1 Chief, Bureau of Ordnance
Department of the Navy
Washington 25, D. C.
Attn: R&D Div.
- 1 Naval Medical Research Institute
National Naval Med. Res. Center
Bethesda, Md.
- 2 Chief of Naval Research
Washington 25, D. C.
Attn: Code 4025
- 1 Chief, Bureau of Ships
Department of the Navy
Washington 25, D. C.
Attn: Code 331
- 1 Chief, Bureau of Med. & Surgery
Dept. of the Navy, Wash 25, D. C.
Attn: Code 33

NAVY (Cont)

- 1 Commander, U. S. Naval Ord. Test
Station, China Lake, Calif.
Attn: Code 753
- 1 Chief, Bureau of Aeronautics
Dept. of the Navy, Wash 25, D. C.
Attn: Code AE 52
- 1 Chief, Bureau of Supplies & Accounts
Department of the Navy
Washington 25, D. C.

CONARC

- 1 C. G., U.S. Continental Army Command
Ft. Monroe, Va.
- 1 President
U. S. Army Artillery Bd.
Ft. Sill, Okla.
Attn: ATBA
- 1 President
US Army Armor Board
Ft. Knox, Ky.
Attn: ATBB
- 1 President
U. S. Army Infantry Bd.
Ft. Benning, Ga.
Attn: ATBC
- 1 President
U. S. Army Air Defense Bd.
Ft. Bliss, Texas
Attn: ATBD
- 1 President
U. S. Army Airborne and Electronics Bd
Ft. Bragg, N. C.
Attn: ATBF
- 1 President
U. S. Army Aviation Bd.
Ft. Rucker, Ala.
Attn: ATBG
- 1 Commanding Officer
U. S. Army Arctic Test Board
Ft. Greely, Alaska
Attn: ATBE

BOARDS & COMMITTEES

- 1 Army Committee on Environment
Chief, Research & Development
Pentagon, Washington, D. C.
- 1 Armed Forces Pest Control Bd.
Walter Reed Army Med. Center
Forest Glen Annex
Main Bldg.
Forest Glen, Maryland
- 1 Army Research Committee
Chief, Research & Development
Pentagon, Washington, D. C.

MISCELLANEOUS

- 1 National Research Council
2101 Constitution Ave., Washington, D. C.
Attn: Advisory Bd. on QM R&D
- 10 Armed Services Technical Information Agency
Arlington Hall Station
Arlington 12, Va.
Attn: TIPDR
- 2 Gift and Exchange Division
Library of Congress
Washington 25, D. C.
- 1 U. S. Department of Commerce
Weather Bureau Library, Washington, D. C.
- 1 Central Intelligence Agency
Collection & Dissemination
Washington 25, D. C.
- 1 National Library of Medicine
Washington 25, D. C.
- 1 Generalintendanten
Standardiseringskontoret
Festningen
Oslo, Norway
- 1 Marine Corps Equipment Board
Marine Development Center
Marine Corps School
Quantico, Va.
- 1 Office of Technical Services
U. S. Department of Commerce
Washington 25, D. C.
Attn: Tech Rpts Sec (THRU OQMG)
- 1 U. S. Department of Agriculture Library
Washington 25, D. C.
- 1 Commandant
Industrial College of the Armed Forces
Ft. McNair, Washington 25, D. C.
- 1 QM Representative
Army Command and General Staff College
Department of the Infantry Div.
Ft. Leavenworth, Kansas

AD- Div. 16, 28 Accession No.	UNCLASSIFIED	AD- Div. 16, 28 Accession No.	UNCLASSIFIED
<p>Quartermaster Research & Engineering Center, Natick, Mass. COMPOSITION AND CALORIC DENSITY OF WEIGHT LOSS DURING CALORIC RESTRICTION IN THE COLD by P. F. Lampietro, R. F. Goldman, M. Mager, D. E. Bass, 9 pp., illus. (Technical Report EP-156), June 1961</p> <p>Two groups of 6 men each lived for 14 days in a cold chamber at 60° F. (15.6° C.); activity was sedentary and only athletic shorts were worn. During this period one group (A) was semi-starved (600 kcal/day) and the other (B) was completely starved (0 kcal/day). Changes in body composition were measured and caloric density of weight loss was cal- culated. Mean weight loss was 5.66 kg for A, and 8.56 kg for B. Composition and caloric density of weight loss was almost identical for both groups. Composition of weight loss with regard to fat, protein, and water was: 39, 10, and 51% for A; 39, 11, and 49% for B. Caloric density was 3.91 kcal/gm for A and 4.06 kcal/gm for B.</p>	<p>1. Body weight 2. Exposure 3. Physiology 4. Privation 5. Starvation 6. Tests 7. Tissues (Biology) I. Title II. Series III. Lampietro, P. F. IV. Mager, M. V. Goldman, R. F. VI. Bass, D. E.</p>	<p>Quartermaster Research & Engineering Center, Natick, Mass. COMPOSITION AND CALORIC DENSITY OF WEIGHT LOSS DURING CALORIC RESTRICTION IN THE COLD by P. F. Lampietro, R. F. Goldman, M. Mager, D. E. Bass, 9 pp., illus. (Technical Report EP-156), June 1961</p> <p>Two groups of 6 men each lived for 14 days in a cold chamber at 60° F. (15.6° C.); activity was sedentary and only athletic shorts were worn. During this period one group (A) was semi-starved (600 kcal/day) and the other (B) was completely starved (0 kcal/day). Changes in body composition were measured and caloric density of weight loss was cal- culated. Mean weight loss was 5.66 kg for A, and 8.56 kg for B. Composition and caloric density of weight loss was almost identical for both groups. Composition of weight loss with regard to fat, protein, and water was: 39, 10, and 51% for A; 39, 11, and 49% for B. Caloric density was 3.91 kcal/gm for A and 4.06 kcal/gm for B.</p>	<p>1. Body weight 2. Exposure 3. Physiology 4. Privation 5. Starvation 6. Tests 7. Tissues (Biology) I. Title II. Series III. Lampietro, P. F. IV. Mager, M. V. Goldman, R. F. VI. Bass, D. E.</p>
AD- Div. 16, 28 Accession No.	UNCLASSIFIED	AD- Div. 16, 28 Accession No.	UNCLASSIFIED
<p>Quartermaster Research & Engineering Center, Natick, Mass. COMPOSITION AND CALORIC DENSITY OF WEIGHT LOSS DURING CALORIC RESTRICTION IN THE COLD by P. F. Lampietro, R. F. Goldman, M. Mager, D. E. Bass, 9 pp., illus. (Technical Report EP-156), June 1961</p> <p>Two groups of 6 men each lived for 14 days in a cold chamber at 60° F. (15.6° C.); activity was sedentary and only athletic shorts were worn. During this period one group (A) was semi-starved (600 kcal/day) and the other (B) was completely starved (0 kcal/day). Changes in body composition were measured and caloric density of weight loss was cal- culated. Mean weight loss was 5.66 kg for A, and 8.56 kg for B. Composition and caloric density of weight loss was almost identical for both groups. Composition of weight loss with regard to fat, protein, and water was: 39, 10, and 51% for A; 39, 11, and 49% for B. Caloric density was 3.91 kcal/gm for A and 4.06 kcal/gm for B.</p>	<p>1. Body weight 2. Exposure 3. Physiology 4. Privation 5. Starvation 6. Tests 7. Tissues (Biology) I. Title II. Series III. Lampietro, P. F. IV. Mager, M. V. Goldman, R. F. VI. Bass, D. E.</p>	<p>Quartermaster Research & Engineering Center, Natick, Mass. COMPOSITION AND CALORIC DENSITY OF WEIGHT LOSS DURING CALORIC RESTRICTION IN THE COLD by P. F. Lampietro, R. F. Goldman, M. Mager, D. E. Bass, 9 pp., illus. (Technical Report EP-156), June 1961</p> <p>Two groups of 6 men each lived for 14 days in a cold chamber at 60° F. (15.6° C.); activity was sedentary and only athletic shorts were worn. During this period one group (A) was semi-starved (600 kcal/day) and the other (B) was completely starved (0 kcal/day). Changes in body composition were measured and caloric density of weight loss was cal- culated. Mean weight loss was 5.66 kg for A, and 8.56 kg for B. Composition and caloric density of weight loss was almost identical for both groups. Composition of weight loss with regard to fat, protein, and water was: 39, 10, and 51% for A; 39, 11, and 49% for B. Caloric density was 3.91 kcal/gm for A and 4.06 kcal/gm for B.</p>	<p>1. Body weight 2. Exposure 3. Physiology 4. Privation 5. Starvation 6. Tests 7. Tissues (Biology) I. Title II. Series III. Lampietro, P. F. IV. Mager, M. V. Goldman, R. F. VI. Bass, D. E.</p>